



Keep this leaflet safe, as you may need to refer to it again. Please ask your vet if you have any further questions.

This medicine has been prescribed for your horse ONLY. Do not take it yourself or give it to another person or any other animal; it may harm them even if their symptoms appear to be the same and could result in inadvertent contravention of Horse Passport legislation.

While BEVA have made every effort in preparing this information leaflet, the contents and any statements are made in good faith purely for general guidance and cannot be regarded as substitute for professional advice. The publishers, contributors and BEVA do not take responsibility for the information provided on this leaflet and hence do not accept any liability for loss or expense incurred (by you or persons that you disseminate the materials to) as a result of relying on content in this leaflet. To this end, you are advised to consult your vet and seek his/her professional advice before taking any steps set out in this leaflet. If you are a vet, you must not rely on the contents in this leaflet without independently verifying the correctness and veracity of the contents.

Date Published/Revised: 08.12.22

Sulpiride

This medicine has been given or is intended to be given to your horse or donkey. It is not a licensed medicine and is provided in a tablet with trade names such as Sulpiride or Dolmatil. Other formulations may be dispensed by your veterinary surgeon including 'Special Veterinary Medicines' which are prepared to be more suitable for horses. These products have been formulated under strict production controls to ensure purity of the product. Although it is not licensed for use in these species, sulpiride is being advised by your veterinary surgeon under the prescribing cascade.

What is sulpiride?

Sulpiride is a dopamine antagonist. Sulpiride binds to the dopamine receptor in the brain, effectively blocking the action of dopamine and results in and increase in prolactin secretion. Prolactin functions to promote milk production and has many other actions within the body affecting the reproductive and metabolic systems amongst others.

Why has my horse/donkey been prescribed or supplied sulpiride?

Your horse/donkey will have been prescribed/supplied sulpiride for two likely reasons. For the induction or stimulation of milk production, or for the stimulation of ovarian activity. There is no licensed form of sulpiride for equines in the United Kingdom (UK), therefore a generic (human) form of sulpiride or a 'Special Veterinary Medicine' may have been supplied.

How should I store and handle sulpiride?

For safety, all medicines should be kept out of the reach and sight of children. There are no special storage requirements however do not store above 25°C. When administering tablets to your horse one should wear gloves, crushing or grinding tablets to aid in administration can represent a risk of human inhalation and therefore appropriate precautions should be taken. Alternative formulations that do not require crushing/grinding might be considered.

What should I do if I run out of sulpiride?

Usually, your vet will dispense the correct amount of the product. If you run out or can see that you are going to run out, you should contact your veterinary surgeon and follow their advice.

What should I do if I accidentally overdose my horse?

Contact your vet for advice. The impact of overdosing has not been studied in the horse.

What should I do if I miss a dose?

Contact your vet. If a dose is missed just give the next dose at the normal time. DO NOT give a double dose to make up for the missed dose.

If my horse/donkey is better what should I do with the remaining medicine?

It is important that you follow your vet's advice. You should contact your veterinary surgeon before changing the dose or stopping the medication. It is best that surplus medication is returned to your veterinary surgeon to be safely disposed of.

If my horse/donkey is not improving, what should I do?

Contact your veterinary surgeon who will review whether this is the correct drug for your horse.

Can my horse/donkey take sulpiride along with other medications?

It is important that you tell your vet if you are giving your horse any other medicines. Sulpiride will oppose the action of pergolide or cabergoline which are used to treat PPID/Cushing's disease.

What do I need to record in my horse or donkey's passport?

This medicine is not authorised for use in horses intended for human consumption. You must sign section IX of your horse's passport to permanently exclude it from the human food chain.

What are the possible side effects of sulpiride in my horse/donkey?

There are no known side effects of sulpiride in the horse. Sulpiride may cause premature lactation when administered to pregnant mares and a subsequent failure of passive transfer of immunity in the foals. **If you observe any abnormal behaviour or other adverse effects, contact your vet immediately and stop administering the product.**

What should I do if a person accidentally takes or has a needle stick injury with this medicine?

If a person accidentally takes this medicine you should contact NHS direct (telephone 111) or take the person to a local hospital.



The prescribing cascade: This medicine is authorised for use in human patients or other animal species and is used by vets under the 'prescribing cascade'. Your vet can explain this in further detail and explain why they are prescribing this drug for your horse. If you do not agree to the use of this medicine in your horse you should discuss this before administration.